## **REVISED OSWESTRY INDEX**

Name:	Date:	File #:
This questionnaire helps us to understand how much activities. Please check the one box in each section	your low back has that most clearly de	affected your ability to perform everyday scribes your problem now.
SECTION 1 - Pain Intensity		N 6 - Standing
The pain comes and goes and is very mild.	<ul> <li>I can stand as long as I want without pain.</li> </ul>	
The pain is mild and does not vary much.	I have some pain standing, but it does not increase with time.	
The pain is finite and does not vary internal     The pain comes and goes and is moderately increasing	2 I cannot stand for longer than I hour without increasing	
The pain is moderate and does not vary much.	pain.	
The pain comes and goes and is severe.	☐ I cannot stand for	longer than 1/2 hour without increasing
The pain is severe and does not vary much.	□ I cannot stand for	longer than 10 minutes without increasing
The pain is severe and bees not tany the	pain.	
	🗇 I avoid standing b	ecause it increases the pain immediately.
SECTION 2 - Personal Care (Washing, Dressing, etc.)	SECTIO	N 7 - Sleeping
1. I would not have to change my way of washing or dressing	I get no pain in be	d.
in order to avoid pain.	I get pain in bed b	ut it does not prevent me from sleeping
☐ I do not normally change my way of washing or dressing	well.	•
even though it causes some pain.	<ul> <li>Because of pain, n</li> </ul>	ny normal night's sleep is reduced by less
Washing and dressing increase the pain, but I manage not to	than ¼.	
change my way of doing it.	<ul> <li>Because of pain, r</li> </ul>	ny normal night's sleep is reduced by less
☐ Washing and dressing increase the pain and I find it	than 1/2.	
necessary to change my way of doing it.	Because of pain, n	ny normal night's sleep is reduced by less
Because of the pain, I am unable to do some washing and	than ¾.	
dressing without help.	Pain prevents me:	from sleeping at all.
Because of the pain, I am unable to do any washing and		
dressing without help.	SECTION 8 - Social Life	
	☐ My social life is n	ormal and gives me no pain.
SECTION 3 - Lifting	.j My social life is n	ormal but increases the degree of pain.
1 can lift heavy weights without extra pain.	Pain has no signif	icant effect on my social life apart from
11 I can lift heavy weights but it gives extra pain.	limiting my more	energetic interests, e.g. dancing
Pain prevents me from lifting heavy weights off the floor.	Pain has restricted	my social life and I do not go much.
L. Pain prevents me from lifting heavy weights off the floor,	Pain has restricted	my social life to my home.
but I can manage if they are conveniently positioned (e.g.	1) I have hardly any	social life because of my pain.
on a table).	SECTIO	N 9 - Traveling
Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently	☐ I get no pain while	
	☐ I get some pain w	hile traveling, but none of my usual forms
positioned.  I can only lift very light weights at the most.	of travel make it	
1 Can only lift very right weights at the most.	□ I get extra pain wi	nile traveling, but it does not compel me to
SECTION 4 - Walking	seek alternative for	orms of travel.
I have no pain on walking.	☐ I get extra pain w	nile traveling which compels me to seek
☐ I have some pain on walking but it does not increase with	alternative forms	of travel.
distance.	☐ Pain prevents all i	forms of travel except done lying down.
☐ I cannot walk more than one mile without increasing pain.	☐ Pain restricts all f	orms of travel.
☐ I cannot walk more than 1/2 mile without increasing pain.		
il cannot walk more than 1/2 mile without increasing pain.		N 10 - Changing Degrees of Pain
☐ I cannot walk at all without increasing pain.	<ul> <li>My pain is rapidly</li> </ul>	y getting better.
	My pain fluctuate	s, but overall is definitely getting better.
	ain seems to be getting	better, but slowly improves.
🗇 I can sit in any chair as long as I like without pain.		r getting better nor worse.
I can sit only in my favorite chair as long as I like.	☐ My pain is gradue	ally worsening.
Pain prevents me from sitting more than 1 hour.	My pain is rapidly	y worsening.
Pain prevents me from sitting more than 1/2 hour.		
Pain prevents me from sitting more than 10 minutes.		
l avoid sitting because it increases pain immediately.		

•

From Vernon H, Minor S. JMPT 1991; 14(7):409-415